

3.704.3 List of Psychological Tests

Material was prepared for use as an aid in handling requests for psychological testing. The minutes allocated for each test include administration, scoring and write up. Determination of the medical necessity of psychological tests always requires consideration of the clinical facts of the specific case to assure that tests given are a cost-effective means of determining the appropriate treatment for the individual patient and are related to the diagnosis and treatment of covered mental health conditions.

INSTRUMENT	TYPE	AGE	MINUTES	COMMENTS
16 Personality Factor (16-PF)	Personality Inventory	16+	30	
ABEL Screen	Sexual Interest	Adol +	120	Primarily forensic in nature: may not be covered
Achenbach Child Behavior Checklist (CBCL)	Behav Rating Scale	4-16	15	
ACTeERS-ADD-H Comprehensive, Teachers Rating Scale	Behav Rating Scale	5 – 13	15	
Adaptive Behavior Assessment System (ABAS II)	Behav Rating Scale	0-89	15	
ADHD Rating Scale	Behav Rating Scale	4 – 18	15	
Adolescent Apperception Cards	Proj-Thematic	12 – 19	60	
Adolescent Psychopathology Scale	Objective personality test	Child-adult	60	
Alcohol Use Inventory Delete	Drinking Styles	16+	30	
Aphasia Screening Test (Reitan Indiana)	Neuro: Language	5+	30	
Asperger/autism Rating Scale	Rating scale		15	Allow 1 hr for set of checklists
Asperger's Syndrome Diagnostic Scales (ASDS)	Rating scale		15	Allow 1 hr for set of checklists
ADDES Attention Deficit Disorder Eval. Scales (ADDES)	Behav Rating Scale	5 – 18	15	
Attention-Deficit Scales for Adults (ADSA)	ADHD	17+	15	Allow 1 hr for set of checklists
Auditory Continuous Performance Test	Attention; ADHD	6 – 11	30	
Australian Scale for Asperger's Syndrome	Rating scale		15	
Autism Diagnostic Observation Scale (ADOS)	Rating scale		60	
Bayley Scales of Infant Development		1-42	60	
Beck Anxiety Inventory	Pers: Single Scale	17-80	15	
Beck Depression Inventory	Pers: Single Scale	17-80	15	
Beck Depression Inventory-II (BDI-II)	Pers: Single Scale	13 – 80	15	
Beck Hopelessness Scale (BHS)	Pers Rating Scale	17 – 80	15	
Beck Scale for Suicidal Ideation	Pers Rating Scale	17 – 80	15	
Beck Youth Inventory	Symptom Rating Scale	7-14	15	
Beery VMI (Test of Visual-Motor Integration)	Neuro/LD: Visual	3+	30	
Behavior Assessment System for Children (BASC)	Behav Rating Scale	4 - 18	30	
Bender Visual Motor Gestalt Test	Neuro	4+	30	Neuro; not for personality assessment
Benton Facial Recognition Test	Neuro: Visual		30	

3.704.3 List of Psychological Tests

Material was prepared for use as an aid in handling requests for psychological testing. The minutes allocated for each test include administration, scoring and write up. Determination of the medical necessity of psychological tests always requires consideration of the clinical facts of the specific case to assure that tests given are a cost-effective means of determining the appropriate treatment for the individual patient and are related to the diagnosis and treatment of covered mental health conditions.

INSTRUMENT	TYPE	AGE	MINUTES	COMMENTS
Benton Judgement of Line Orientation Test	Neuro: Visual	7+	20	
Benton Multilingual Aphasia Exam (BMAE)	Neuro: Visual	6-69	90	
Benton MAE Sentence Repetition	Neuro: Language	6-69	15	
Benton MAE Token Test	Neuro: Language	6-69	15	
Benton MAE: Visual Naming Test	Neuro: Language	6-69	15	
Benton Right-Left Orientation Test	Neuro: Language		20	
Benton Serial Digit Learning Test	Neuro: Memory/Learning		15	
Benton Visual Form Discrimination Test	Neuro: Visual		30	
Benton Visual Retention Test	Neuro: Visual	8+	30	
Booklet Categories Test	Neuro: Prob. Solving	15+	45	
Boston Diagnostic Aphasia Examination-3	Neuro: Language	Adults	60	
Boston Naming Test	Neuro: Language	Adults	30	
BRIEF (Behavior Rating Inventory of Executive Functioning)	Neuro,	Child/adol escent	45	Versions for preschool and child/adolescent
Brief Neuropsychological Cognitive Exam	Neuro	13+	30	
Brief Symptom Inventory	Symptom Checklist	13+	5	Short form of SLR-90-R
Brown Attention-Deficit Disorder Scales	Behav Rating Scale	12+	15	Allow 1 hr for set of checklists
Burk's Behavior Rating Scale	Behav Rating Scale	Preschool	15	
Child Attention Problems (CAP)	Behav Rating Scale	6-16	15	
Children's Apperception Test (CAT)	Proj: Thematic	3-10	60	
Children's Auditory Verbal Learning Test (CAVLT)	Neuro-Memory/Learning	6.5-18	45	
Categories Test	Neuro-Prob. Solving	15+	45	
Child Behavior Checklist (CBCL see Achenbach)	Behav Rating Scale	4-16	15	
Childhood Autism Rating Scales	Rating Scales		15	Allow 1 hr for set of checklists
Childhood Trauma Questionnaire	Personality Scale	12+	15	
Children's Attention & Adjustment Survey (CAAS)	Behav Rating Scale	5 – 13		
Children's Category Test (CCT)	Neuro	5 – 16	15	
Children's Depression Inventory (CDI)	Pers: Screening	7-17	15	
Children's Depression Rating Scale, Revised	Pers Rating Scale	6 – 12	15	Allow 1 hr for set of checklists
Clinical Evaluation of Language Fundamentals (CELF)	Neuro-Language		45	

3.704.3 List of Psychological Tests

Material was prepared for use as an aid in handling requests for psychological testing. The minutes allocated for each test include administration, scoring and write up. Determination of the medical necessity of psychological tests always requires consideration of the clinical facts of the specific case to assure that tests given are a cost-effective means of determining the appropriate treatment for the individual patient and are related to the diagnosis and treatment of covered mental health conditions.

INSTRUMENT	TYPE	AGE	MINUTES	COMMENTS
Revised Children's Manifest Anxiety Scale	Pers Rating Scale	6 – 19	15	Allow 1 hr for set of checklists
Children's Memory Scale (CMS)	Neuro-Memory	5 – 16	60	
Children's Personality Questionnaire	Pers Inventory	8-12	45	
Children's State-Trait Anxiety Inventory	Beh Rating scale	8 – 14	15	Allow 1 hr for set of checklists
Chronic Pain Battery	Pain adaptation	Adult	15	
Clock Drawing	Neuro		15	
Cognistat	Neuro	18+	30	
Cognitive Assessment System (CAS)	Neuro/educational	5-18	60	
Color Form Test	Neuro: Child		15	
Comprehensive Behavior Rating Scale for Children (CBRSC)	Behav Rating Scale	6 – 14	15	
Comprehensive Test of Nonverbal Intelligence (CTONI)	Nonverbal test of IQ	6-19	60	
Computer Category Test	Neuro: Prob Solving		45	
Conner's Adult ADHD Rating Scale (CAARS)	Behav Rating Scale	18+	15	
Conner's Continuous Performance Test II	Neuro: Attention	4+	60	
Conners' Rating Scale-Teacher or Parent	Behav Rating Scale	3- 17	15	
Conner's Rating Scales-Revised	Behav Rating Scale	3 – 17	15	Allow 1 hr for set of Cklists ; Expected to be free part of 90801
Controlled Oral Word Association Test (COWAT)	Neuro: language		15	
California Psychological Inventory (CPI)	Pers Inventory	13+	30	
Children's Personality Questionnaire (CPQ)	Pers Inventory	8-12	30	
California Verbal Learning Test for Children (CVLT)	Neuro: Memory/Learning	5 – 16.1	45	
California Verbal Learning Test (CVLT)	Neuro: Memory/Learning	17+	45	Norms only on normal pop
Delis-Kaplan Executive Functional Scale (D-KEFS)	Neuro: Exec		120	
Dementia Rating Scales (Mattis)	Neuro: Screen	65-81	60	
Denman Memory Battery	Neuro: Memory Battery		80	
Detroit Test of Learning Aptitude	IQ	6-17	80	
Devereau Scales of Mental Disorders	Personality	5-18	30	
Diagnostic Achievement Battery – 2	Academic Skills	6-14	90	
Diagnostic Achievement Battery –2 (DAB2)	Academic achievement	6-14	60	Primarily educational; may not be covered
Diagnostic Interview for Children and Adolescents Computer	Behav Rating Scale	6 – 17	30	Structured interview

3.704.3 List of Psychological Tests

Material was prepared for use as an aid in handling requests for psychological testing. The minutes allocated for each test include administration, scoring and write up. Determination of the medical necessity of psychological tests always requires consideration of the clinical facts of the specific case to assure that tests given are a cost-effective means of determining the appropriate treatment for the individual patient and are related to the diagnosis and treatment of covered mental health conditions.

INSTRUMENT	TYPE	AGE	MINUTES	COMMENTS
Program (DICA-IV)				
Differential Ability Scale (DAS)	Cog/Neuro	6-18	60	
Dyadic Adjustment Scale	Relationship Satisfaction	Adult	15	Allow 1 hr for set of checklists
Eating Inventory	Personality	17+	15	
Eating Disorder Inventory 2 (EDI-2)	Personality	12+	15	Allow 1 hr for set of checklists
Endler Multidimensional Anxiety Scales	Pers Rating Scale	13+	15	Allow 1 hr for set of checklists
ERASOR Estimate of Risk of Adolescent Sexual Offense Recidivism	Sex offender assessment	12-18	15	Forensic; may not be covered, 28 items
Examining for Aphasia	Language	13 – adult	75	
Expressive One Word Vocabulary Test – Revised	Neuro: Language	2-12	20	
Family Apperception Test	Proj-Thematic	6 – 15	30	
Family Kinetic Drawing	Proj-Thematic	Child+	30	
Finger Tapping Test (Electric or Manual)	Neuro: Motor	Child+	5	
Folstein Mini Mental Status	Neuro	Adult	15	
Fuld Object Memory Evaluation	Neuro: Memory		15	
Fundamental Interpersonal Relations Orientation-Behavior FIRO-B	Pers-Soc/Behav	Adult	15	
General Ability Measure for Adults (GAMA)	IQ		45	
Gilliam Autism Rating Scale (GARS-2)	Rating scale		15	
Gilliam Asperger's Disorder Scale (GADS)	Rating scale		15	
Goldman-Fristoe-Woodcock Auditory Discrim. Battery	LD/Neuro		45	
Gordon Diagnostic System	Neuro/ADD; attn-CPT	4+	60	
Gray Oral Reading Test (GORT-R OR GORT-3)	Academic	Child+	45	
Grip Strength	Neuro: Motor		5	
Grooved Pegboard	Neuro: Motor		10	
Halstead Reitan Neuro Battery	Neuro Battery	Child+	N/A	See times for individual tests from this battery
Hamilton Depression Inventory (HDI)	Symptom rating scale	18+	15	Allow 1 hr for set of cklists; self-report version of Hamilton Depression Rating Scale.
Hamilton Rating Scale for Depression-Revised (Clinician Form)	Pers Rating Scale	18+	0	Part of MSE only
Hamilton Rating Scale for Depression-Revised (Self-Report)	Pers Rating Scale	18+	15	Allow 1 hr for set of checklists
Hand Test	Projective	Adult	45	
Hare Psychopathy check list-R (PCL-R)	Personality	18+	150	

3.704.3 List of Psychological Tests

Material was prepared for use as an aid in handling requests for psychological testing. The minutes allocated for each test include administration, scoring and write up. Determination of the medical necessity of psychological tests always requires consideration of the clinical facts of the specific case to assure that tests given are a cost-effective means of determining the appropriate treatment for the individual patient and are related to the diagnosis and treatment of covered mental health conditions.

INSTRUMENT	TYPE	AGE	MINUTES	COMMENTS
High School Personality Inventory	Pers. Inventory	13+	30	
Holtzman Inkblot Test	Proj-Inkblot	Child+	120	
Hooper Visual Organization Test	Neurosychn		30	
House Tree Person (H-T-P)	Proj-Thematic	Child+	30	
Home Situations Questionnaire (HSQ, HSQ-R)	Beh Rating Scale	4-18	15	
Human Figure Drawings	Proj-Thematic	Child+	30	
Incomplete Sentences Blank	Proj	Child+	15	
Intermediate Visual and Auditory CPT (IVA)	Attn – ADHD	5 – 90	60	
Jesness Inventory	Antisocial personality	8-adult	45	Personality for delinquent and conduct d/o, personality for delinquent and conduct d/o 8--adult
J-Soap Juvenile Sex Offender Assessment Protocol	Sex offender assessment	9-20	60	Forensic; may not be covered
Judgment of Line Orientation	Neuropsych	Adult	30	
Kaufman Brief Intelligence Test (K-BIT)	IQ	4-90	30	
Kaufman Adolescent and Adult Intelligence Test	IQ	11-85	90	
Kaufman Assessment Battery for Children (KABC)	IQ & Academic Skills	2.5-12.5	90	
Kaufman Short Neuropsychological Assess Procedure (K-SNAP)	Neuro screen	11 – 85	30	
Kaufman Test of Education Achievement (K-TEA)	Academic Skills	6-18	60	
Key-Math Diagnostic Arithmetic Test – Revised	Academic Skills	5-14	80	
Kinetic Family Drawings	Proj-Thematic	Child+	30	
Lateral Dominance Exam	Neuro: Motor		25	
Learning Disabilities Diagnostic Inventory (LDDI)	Educational	8-18	30	
Louisville Behavioral Checklist	Beh Rating Scale	4-17	15	
Luria-Nebraska Neuropsych Battery	Neuro Battery	13+	150	
Luria-Nebraska Neuropsych – Screen Version	Neuro Screen	13+	30	
Luria-Nebraska Neuropsych Battery for Children	Neuro Battery	8-12	150	
Luria-Nebraska Neuropsych for Children – Screen Version	Neuro Screen	8-12	30	
Make a Picture Story	Projective	Adolescent	60	
Millon Adolescent Personality Inventory (MAPI)	Pers Inventory	13-18	60	
Marital Satisfaction Inventory-Revised (MSI-R)	Marital/Relationship	18 – 90	15	Allow 1 hr for set of checklists
Maryland Addictions Questionnaire (MAQ)	Chemical Dep	16+	15	Allow 1 hr for set of checklists

3.704.3 List of Psychological Tests

Material was prepared for use as an aid in handling requests for psychological testing. The minutes allocated for each test include administration, scoring and write up. Determination of the medical necessity of psychological tests always requires consideration of the clinical facts of the specific case to assure that tests given are a cost-effective means of determining the appropriate treatment for the individual patient and are related to the diagnosis and treatment of covered mental health conditions.

INSTRUMENT	TYPE	AGE	MINUTES	COMMENTS
Matching V's and Figures Test	Neuro – Attention		15	
McCarthy Scales of Children's Abilities	IQ	2.6-8.6	90	
McGill Pain Inventory	Personality, pain coping	18+	15	
Memory Assessment Scales	Neuro: Memory	18-90	60	
MicroCog Assessment of Cognitive Functioning	Neuro	18 – 89	60	
Millon Adolescent Clinical Inventory (MACI)	Pers Inventory	13-19	60	
Millon Adolescent Personality Inventory (MAPI)	Pers Inventory	13-19	60	
Millon Behavioral Health Inventory (MBH)	Medical Coping Style	18+	60	
Minnesota Multiphasic Personality Inventory (MMPI)	Pers Inventory	14+	60	Recommend most recent version; MMPI-II.
Minnesota Multiphasic Pers. Inventory-2 (MMPI-2)	Pers Inventory	18+	60	
Minnesota Multiphasic Pers. Inventory-Adolesc. (MMPI-A)	Pers Inventory	13-18	60	Assumes 6 th grade reading level
Minnesota Test for Differential Diagnosis of Aphasia	Neuro; Language	Adults	90	
Motor-Free Visual Perception Test	Neuro/LD: Perceptual	4-8	25	
Multiphasic Sex Inventory	Sex offender assessment	Adult	60	Versions for adolescent and adult males
Multiscore Depression Inventory for Children	Pers Rating Scale	8 – 17	15	Allow 1 hr for set of checklists
Multiscore Depression Inventory for Adolescents and Adults	Pers Rating Scale	17+	15	Allow 1 hr for set of checklists
NEO Personality-R (NEO PI-R)	Pers Inventory	17+	30	
NESPY (Executive Function Test)	Neuro	17+	30	
NESPY (Developmental Neuropsychological Assessment)	Neuro screen	3-12	60/120	60 for pre-school; 120 for school age children
Neuropsychological Impairment Scale	Neuro screen	18 – 88	15	Allow 1 hr for set of checklists
Omni Personality Inventory	Pers Inventory	18-74	60	
Omni IV Personality Disorder Inventory	Pers Inventory	18-74	60	
Paced Auditory Serial Addition Test	Neuro: Attention		30	
Pain Apperception Test	Pain disorders	Adult	15	Allow 1 hr for set of checklists
Pain Patient Profile (P3)	Pain	17-76	15	
Pain Patient Profile	Medical Coping Style	17-76	10	
Parent-Child relationship Inventory (PCRI)	Prenatal Style	3 – 12	15	Allow 1 hr for set of checklists
Parenting Stress Index (PSI)	Parental Style	3 – 12	15	
Paced Auditory Serial Addition Task (PASAT: C)	Neuro: Attention	16+	45	
Peabody Developmental Motor Scales and Activity Cards	Developmental	0 – 7	90	
Peabody Individual Achievement Test – Revised (PIAT-R)	Academic Skills	5 – 18	75	

3.704.3 List of Psychological Tests

Material was prepared for use as an aid in handling requests for psychological testing. The minutes allocated for each test include administration, scoring and write up. Determination of the medical necessity of psychological tests always requires consideration of the clinical facts of the specific case to assure that tests given are a cost-effective means of determining the appropriate treatment for the individual patient and are related to the diagnosis and treatment of covered mental health conditions.

INSTRUMENT	TYPE	AGE	MINUTES	COMMENTS
Peabody Picture Vocabulary Test – Revised (PPVT-R)	IQ-Brief/LD	2.5-Adult	30	
Perception of Ability Scale for Students	Personality Inventory		15	Allow 1 hr for set of checklists
Personal Experience Inventory for Adolescents (PEI)	Chemical Dep	12 – 18	15	Allow 1 hr for set of checklists
Personal Experience Inventory for Adults (PEI-A)	Chemical Dep	19+	30	
Personality Assessment Inventory	Pers Inventory	18+	60	
Personality Research Form (PRF)	Pers Inventory	11+	60	
Personality Inventory for Youth	Pers Inventory	8-29	60	
PHASE	Sex offender assessment		30	Forensic; may not be covered, sexual attitudes
Philadelphia Head Injury Questionnaire	Neuro	Adult	15	Allow 1 hr for set of checklists
Peabody Individual Achievement Test (PIAT-R)	Academic Skills	5-18	75	
Personality Inventory for Children, revised (PIC-R)	Pers Inventory	3-16	30	
Piers-Harris Children's Self Anapt Scale	Personality	7-18	15	
Porteus Mazes	IQ-Single Task	3+	30	
Problem Behavior Inventory	Pers Rating Scale	13+	15	Allow 1 hr for set of checklists
Problem Experiences Checklist	Life Problems	13 – 19	15	Allow 1 hr for set of checklists
Progressive Figures Test	Neuro; Attention		15	
Psychiatric Diagnostic Interview, Revised (PDI-R)	Interview Schedule	18+	45	
Purdue Pegboard	Neuro/LD: Motor	Child +	15	
Quick Neurological Screening Test-2 (QNST-2)	Neuro-Memory-Lang	12 to adults	30	
Roberts Apperception Test for Children (RATC)	Proj.-Thematic	6-15	60	
Raven's Progressive Matrices (all versions)	IQ/Neuro; Problem Solving	6.5+	45	
Rey Auditory Verbal Learning Test—move to alphabetic order	Neuro: Memory	7-89	15	
Rey 15-Item Test—move to alphabetic order	Neuro, malingering	Adult	15	May be primarily forensic
Repeatable Battery for Assessment of Neuropsychological Status (RBANS)	Neuro		30	
Revised Behavior Problem Checklist (RBPC)	Beh Rating Scale	5 – 18	15	Allow 1 hr for set of checklists
Revised Token Test	Neuro: Language	20-80	30	
Reynolds Adolescent Depression Scale	Symptom rating scale	7 – 12	15	Allow 1 hr for set of checklists
Reynolds Adolescent Adjustment Screening Inventory	Personality	12-19	15	Allow 1 hr for set of checklists
Reynolds Adolescent Depression Scale	Personality; single scale		15	

3.704.3 List of Psychological Tests

Material was prepared for use as an aid in handling requests for psychological testing. The minutes allocated for each test include administration, scoring and write up. Determination of the medical necessity of psychological tests always requires consideration of the clinical facts of the specific case to assure that tests given are a cost-effective means of determining the appropriate treatment for the individual patient and are related to the diagnosis and treatment of covered mental health conditions.

INSTRUMENT	TYPE	AGE	MINUTES	COMMENTS
Reynolds Child Depression Scale	Symptom rating scale	7-12	15	Allow 1 hr for set of checklists
Rey-Osterrieth Complex figure Test	Neuro: Visual-Motor		30	
Rorschach	Proj-Inkblot	Child+	120	Includes scoring
Rotter Incomplete Sentence Test	Proj.	Child+	60	
RSTI Risk-Sophistication-Treatment Inventory	Sex offender assessment	9-18	60	Forensic; may not be covered
SA-45 symptom Assessment 45	Sex offender assessment	13+	15	Forensic; may not be covered
School Behavior Checklist	Beh Rating Scale	4 – 13	15	Allow 1 hr for set of checklists
Screeners and Opioid Assessment for Patients with Pain- Revised (SOAPP-R)	Pain assessment	Adult	15	
Structured Clinical Interview (SCID II Patient Questionnaire)	Beh Rating Scale	18+	30	Structured interview for DSM-IV-TR-Axis II
Symptom Checklist 90 Revised (SCL-90-R)	Symptom Checklist		15	
Seashore Rhythm Test	Neuro: Perceptual		20	
Selective Reminding Test	Neuro: Memory		30	
Sensory Perceptual exam (Klove)	Neuro: Perceptual		30	
Severe Impairment Battery (SIB)	Neuro-Dementia	Adult	30	
Sexual Adjustment Inventory-Juvenile	Sex offender assessment	14-18	90	Forensic; may not be covered, norms 14-18
Sexual Attitude Questionnaire	Sex offender assessment	Teen +	15	Forensic; may not be covered, 40 items
Shipley Institute of Living Scale	IQ-BRIEF	14+	30	
Short Category Test, Booklet Format	Neuro: Problem Solving	15+	35	
Single and Double Simultaneous Stimulation Test	Neuro: Perceptual		20	
Sixteen Personality Factor Questionnaire (16pf)	Pers Inventory	16+	30	
Slosson Full-Range Intelligence Test (S-FRIT)	IQ	5t – 21	30	
Slosson Full-Range Intelligence Test (S-FRIT)	IQ	5 – 21	45	
Slosson Intelligence Test – Revised	IQ-Brief	4+	30	
Social Phobia and Anxiety Inventory	Beh Rating Scale	14+	15	Allow 1 hr for set of checklists
Speech Sounds Perception Test	Neuro: Language		30	
School Situations Questionnaire (SSQ, SSQ-R)/Survey	Behavioral Rating Scale	6-12	15	
Stanford Binet Intelligence Scale	IQ-Multitask		120	
State-Trait Anger Expression Inventory	Symptom rating scale	12 – 67	15	Allow 1 hr for set of checklists
State-Trait Anxiety Inventory	Symptom rating scale	15+	15	Allow 1 hr for set of checklists
Stroop Color Naming	Neuro: Attention	7+	20	
Structured Interview of Reported Symptoms	Malingering Screen	18+	45	

3.704.3 List of Psychological Tests

Material was prepared for use as an aid in handling requests for psychological testing. The minutes allocated for each test include administration, scoring and write up. Determination of the medical necessity of psychological tests always requires consideration of the clinical facts of the specific case to assure that tests given are a cost-effective means of determining the appropriate treatment for the individual patient and are related to the diagnosis and treatment of covered mental health conditions.

INSTRUMENT	TYPE	AGE	MINUTES	COMMENTS
Structural Clinical Interview for DSM-Dissociative Disorders (SCID-D)	Beh Rating Scale	18+	30	Structured interview for dissociative disorders
Substance Abuse Subtle Screening Inventory (SASSI)	Chemical Dep	12+	15	
Suicidal Ideation Questionnaire	Symptom rating scale	12 – 18	15	Allow 1 hr for set of checklists
Suicide Probability Scale	Personality; Single Scale		15	
Symbol-Digit Modalities test	Neuro: Attention	6+	20	
Tactual Performance Task (TPT)	Neuro: Perceptual	5+	35	
Target Test	Neuro: Perceptual	5+	35	
Thematic Apperception Test (TAT)	Proj-Thematic	Adoles+	60	
Taylor-Johnson Temperament Analysis	Personality/Marital	13+	30	
Tasks of Emotional Development (TED)	Proj-Thematic	Approx 6-	60	
Tell-Me-A-Story (TEMAS)	Proj-Thematic	5 – 18	60	Minorities and non-minorities
Test of Auditory Processing Skills (TAPS: 3)	Neuro/Auditory Proc/educ	4-18	60	
Test of Emotional Development (TED)	Proj-Thematic	6+	20	
Test of Everyday Attention (TEA) (TEA-CH for children)	Attention	18 – 80	60	
Test of Language Development – Primary (TOLD P:3)	Neuro/language/educational	4-8	60	
Test of Language Development – Intermediary (TOLD P:3)	Neuro/language/educational	8-12	60	
Test of Memory Malinger (TOMM)	Malingering	16+	15	
Test of Memory and Learning (TOMAL)	Neuro-Mem-LD	5-19.11	60	
Test of Nonverbal Intelligence-3 (TONI-3)	IQ	6 – 89	30	
Test of Visual-Motor Integration (see Beery VMI)	Neuro/LD: Visual	3+	30	
Test of Visual –Motor Skills, Upper Level	Neuro-LD	12 – 40	20	
Test of Visual-Motor Skills, Revised	Neuro-LD	3 – 13	20	
Test of Visual-Perceptual Skills Revised (non-motor) TVPS-3	Neuro-LD	4 – 13	30	
Test of Visual-Perceptual Skills Revised (non-motor) Upper Level TVPS-3	Neuro-LD	12 – 18	20	
Token Test (Revised Token Test, Token Test for children)	Neuro-Language	3+	30	
Test of Nonverbal Intelligence (TONI-2)	IQ – Nonverbal	5-85+	30	
Test of Variable Attention (TOVA)	NEURO/ADD: Attention	4-80	60	
Tower of London	Neuro		30	

3.704.3 List of Psychological Tests

Material was prepared for use as an aid in handling requests for psychological testing. The minutes allocated for each test include administration, scoring and write up. Determination of the medical necessity of psychological tests always requires consideration of the clinical facts of the specific case to assure that tests given are a cost-effective means of determining the appropriate treatment for the individual patient and are related to the diagnosis and treatment of covered mental health conditions.

INSTRUMENT	TYPE	AGE	MINUTES	COMMENTS
Trail Making Test	Neuro; Attention		15	
Trauma Symptom Checklist for Children (TSC)	Personality	8 – 16	15	
Trauma Symptom Inventory (TSI)	Personality	18+	30	
Validity Indicator Profile (VIP)	Malingering	18-69	60	
Verbal Fluency	Neuro: Language		15	
Vigil Continuous Performance Test	Neuro: ADHD, Attn	6 – 90	60	
Vineland Adaptive Behavior Scales	Adapt/Developmental	0-18.11	75	
Vineland Social-Emotional Early Childhood Scales	Emotional Developmental	5 – 11	30	
Visual-Aural Digit Span Test	Neuro/LD; Memory	12+	20	
Visual Search and Attention Test (VSAT)	Neuro-Attn	18+	15	
Developmental Test of Visual – Motor Integration (VMI)	Neuro: Visual	3+	20	
Hooper Visual Organization Test (VOT)	Neuro: Visual	Child+	20	
Wechsler Adult Intelligence Scale – III (WAIS-III)	IQ-Multitask	16-74	135	
Wechsler Adult Intelligence Scale – Revised (WAIS-R)	IQ-Multitask	16-74	135	Recommend Revised
Wechsler Adult Intelligence Scale – Revised as a Neurological Instrument (WAIS-R NI)	IQ/Neuro	16-74	180	
Wechsler Abbreviated Scale of Intelligence (WASI)	IQ	16-74	60	May be appropriate for screening
Wechsler Memory Scale	Neuro: Memory	16+	75	Recommend Revised
Wechsler Memory Scale Revised	Neuro: Memory	16+	75	
Wechsler memory Scale – 3 rd Ed. (WMS-III)	Neuro: Memory	16 – 89	75	
Wechsler Preschool & Primary Scale of Intell. Rev (WPPSI-R)	IQ-Multitask	3-7	120	
Wender Utah Rating Scale	Beh Rating Scale		15	
Wepman Auditory Discrimination Test	Neuro/LD: Language	4-8	20	
Wepman’s Auditory Memory Battery	Memory-LD	5 – 8	15	
Western Aphasia Battery	Neuro: Language	Adol+	75	
Western Personality Inventory	Chemical Dep	18+	15	Allow 1 hr for set of checklists
Whitaker Index of Schizophrenic Thinking (WIST)	Symptom Screen		15	
Wechsler Individual Achievement Test (WIAT)	Academic Skills	12+	45	Screening version .5 hr.
Wechsler Individual Achievement Test for Children (WIAT)	Academic Skills	5-12	45	Screening version .5 hr.

3.704.3 List of Psychological Tests

Material was prepared for use as an aid in handling requests for psychological testing. The minutes allocated for each test include administration, scoring and write up. Determination of the medical necessity of psychological tests always requires consideration of the clinical facts of the specific case to assure that tests given are a cost-effective means of determining the appropriate treatment for the individual patient and are related to the diagnosis and treatment of covered mental health conditions.

INSTRUMENT	TYPE	AGE	MINUTES	COMMENTS
Wide Range Assess of Vis-Motor Abil (WRAVMA)	LD	3 – 17	45	
Wide Range Achievement Test – 3 rd Edition (WRAT-3)	Academic Skills	5+	30	
Wechsler Intell Scale for Children (WISC-IV)	IQ-Multitask	6-16	135	
Wechsler Intell Scale for Children – Revised (WISC-R)	IQ-Multitask	6-16	120	Recommend Revised
Weschler Memory Scale (WMS)	Neuro; Memory	16+	30	Recommend Revised
Weschler Memory Scale-Revised	Neuro; Memory	16+	75	
Wisconsin Card Sorting Test (WCST)	Neuro: Problem Solving	12+	45	Needs IQ or HALTEAD AS REFERENCE
Wonderlic Personnel Test	Job-IQ Potential	Adult	15	
Woodcock-Johnson Psychoeduca Battery (Achievement)	Academic Skills	2+	90	1.5 for Standard Battery/2.0 for Standard & Supp.
Woodcock-Johnson Psychoeduca Battery (Cognitive)	Cognitive/IQ	2+	90	1.5 for R Standard Battery/2.0 for Standard & Supp.
Woodcock Language Proficiency Battery-R	Language	2 – adult	60	
Woodcock Reading Mastery Tests-R	Academic Skills	5 – 75	60	
Word Fluency/Verbal Fluency	Neuro: Language		15	
Wechsler Preschool & Primary Scale of Intel (WPPSI-R)	IQ-Multitask	3-7	120	
Wide Range Assessment of memory & Learning (WRAML)	Neuro/LD: Memory	5-17	60	10-15 minutes screening version available
Wide Range Achievement Test – 3 rd Edition (WRAT-3)	Academic Skills	5+	30	
Wide Range Achievement Test – Revised (WRAT-R)	Academic Skills	5+	30	
Zung Depression Index	Pers Screen		15	